Author Index

Al-Juwayhel, F.	Performance of the once-through multistage flash desalination process	229–241
Amineni, N.	A centrifugal compressor stage with wide flow range vaned diffusers and different inlet configurations	307–320
Ananda Rao, M.	Optimum stage design of axial-flow gas turbine	433–446
Arbon, I. M.	Worldwide use of biomass in power generation and combined heat and power schemes	41–57
Assarie, M. R.	Two-dimensional mathematical model of a packed bed dryer and experimentation	161–168
Aungier, R.	A centrifugal compressor stage with wide flow range vaned diffusers and different inlet configurations	307–320
Barclay, F. J.	Fundamental thermodynamics of fuel cell, engine, and combined heat and power system efficiencies	407–418
Basirat-Tabrizi, H.	Two-dimensional mathematical model of a packed bed dryer and experimentation	161–168
Bassily, A. M.	Performance improvements of the recuperated gas turbine cycle using absorption inlet cooling and evaporate aftercooling	295–306
Bomprezzi, L.	The heating value of gas obtained from biomass gasification: a new method for its calculation or prediction	447–452
Brandon, N. P.	Integration of solid oxide fuel cells into gas turbine power generation cycles. Part 1: fuel cell thermodynamic modelling	129–144
Cai, R.	Influence of blade tip clearance shapes on aerodynamic performance of an axial flow compressor stator	395–402
Chakraborty, N.	A generalized object-oriented computational method for simulation of power and process cycles	155–159
Chakraborty, S.	A generalized object-oriented computational method for simulation of power and process cycles	155–159
Cho, M.-R.	The characteristics of pressure ripple in variable displacement vane pumps: comparison between theory and experiment	89–96
Chung, M. K.	Systematic two-zone modelling for performance prediction of centrifugal compressors	75–87
Crane, R. I.	Software Review	339–340
Cui, T.	Analysis of the working process in an oil-flooded screw compressor by means of an indicator diagram	465–470
Cunnel, C.	Integration of solid oxide fuel cells into gas turbine power generation cycles. Part 2: hybrid model for various integration schemes	145–154
Dasgupta, K.	Analysis of the steady state performance of a multi-plunger hydraulic pump	471–480
Dyson, G.	A review of closed valve head prediction methods for centrifugal pumps	329–338
Elder, R. L.	Axial compressor performance modelling with a quasi-one-dimensional approach	181–193
El-Dessouky, H.	Performance of the once-through multistage flash desalination process	229–241
Engeda, A.	A centrifugal compressor stage with wide flow range vaned diffusers and different inlet configurations	307–320
Ertesvag, I. S.	Analysis of the Vading concept-a new rotary-piston compressor, expander and engine principle	283–290
Ettouney, H.	Performance of the once-through multistage flash desalination process	229–241
Fells, I.	Clean and secure energy for the twenty-first century	291–294
Fraenkel, P. L.	Power from marine currents	1–14
Gandjalikhan Nassab, S. A.	Transient heat transfer characteristics of an energy recovery system using a porous medium	387–394
Gardzilewicz, A.	Shape optimization of two turbine stages using the deformed polyhedron method and a three-dimensional RANS solver	203–213
Gore, J. P.	Characteristics of combustion and radiation heat transfer of an oxygen-enhanced flame burner	379–386

© IMechE 2002

Han, D.-C.	The characteristics of pressure ripple in variable displacement vane pumps: comparison between theory and experiment	89–96
Huang, Y.	Experimental investigation of flow and cavitation characteristics of a two-step throttle in water hydraulic valves	105–110
Huang, D.	Models of steam force and torque of a rotor subjected to the leakage of tip clearance	355–362
Hwang, S. S.	Characteristics of combustion and radiation heat transfer of an oxygen-enhanced flame burner	379–386
Inoue, M.	Noise characteristics of turbines for wave power conversion	223–228
Ishizuka, M.	Study on the natural air cooling of electronic equipment casings: effects of the outlet vent and the power heater locations on the cooling capability	269–275
Jang, J.-S.	The characteristics of pressure ripple in variable displacement vane pumps: comparison between theory and experiment	89–96
Jia, X.	Influence of blade tip clearance shapes on aerodynamic performance of an axial flow compressor stator	395–402
Jonsson, G. R.	A model for predicting the yearly load in district heating systems	277–281
Joshi, J. C.	Performance analysis of directly coupled photovoltaic electro-mechanical system	453–464
Kaneko, K.	A performance study of a radial turbine for wave energy conversion	15–22
Kaneko, K.	Noise characteristics of turbines for wave power conversion	223–228
Kim, T. H.	A performance study of a radial turbine for wave energy conversion	15–22
Kim, K.-H.	The characteristics of pressure ripple in variable displacement vane pumps: comparison between theory and experiment	89–96
Kim, Y.	A centrifugal compressor stage with wide flow range vaned diffusers and different inlet configurations	307–320
Kitamura, Y.	Study on the natural air cooling of electronic equipment casings: effects of the outlet vent and the power heater locations on the cooling capability	269–275
Kolhe, M.	Performance analysis of directly coupled photovoltaic electro-mechanical system	453–464
Kolla, S.	Optimum stage design of axial-flow gas turbine	433–446
Lampart, P.	Shape optimization of two turbine stages using the deformed polyhedron method and a three-dimensional RANS solver	203–213
Lee, G. H.	Performance simulation of scroll compressors	169–179
Li, J.	Optimization design of a compressor cascade airfoil using a Navier-Stokes solver and genetic algorithms	195–202
Li, L.	Thermodynamic analysis of the rotary tooth compressor	321–328
Li, Y. G.	Performance-analysis-based gas turbine diagnostics: a review	363–378
Li, L.	Analysis of the working process in an oil-flooded screw compressor by means of an indicator diagram	465–470
Li , Z. Y.	Experimental investigation of flow and cavitation characteristics of a two-step throttle in water hydraulic valves	105–110
Liu, Y. S.	Experimental investigation of flow and cavitation characteristics of a two-step throttle in water hydraulic valves	105–110
Martinez-Botas, R. F.	Integration of solid oxide fuel cells into gas turbine power generation cycles. Part 1: fuel cell thermodynamic modelling	129–144
Martinez-Botas, R. F.	Integration of solid oxide fuel cells into gas turbine power generation cycles. Part 2: hybrid model for various integration schemes	145–154
Mathioudakis, K.	Evaluation of steam and water injection effects on gas turbine operation using explicit analytical relations	419–432
Milborrow, D.	Wind energy technology-the state of the art	23–30
Mondal, S. K.	Analysis of the steady state performance of a multi-plunger hydraulic pump	471–480
Oh, H.	systematic two-zone modelling for performance prediction of centrifugal compressors	75–87
Paish, O.	Micro-hydropower: status and prospects	31–40
Pangalis, M. G.	Integration of solid oxide fuel cells into gas turbine power generation cycles. Part 1: fuel cell thermodynamic modelling	129–144
Pangalis, M. G.	Integration of solid oxide fuel cells into gas turbine power generation cycles. Part 2: hybrid model for various integration schemes	145–154
Penchalayya, Ch	Optimum stage design of axial-flow gas turbine	433–446
Peng, G.	Study on the natural air cooling of electronic equipment casings: effects of the outlet vent and the power heater locations on the cooling capability	269–275
Peng, X.	Thermodynamic analysis of the rotary tooth compressor	321–328

© IMechE 2002

Peng, X.	Analysis of the working process in an oil-flooded screw compressor by means of an indicator diagram	465–470
Pierpaoli, P.	The heating value of gas obtained from biomass gasification: a new method for its calculation or prediction	447–452
Raffaelli, R.	The heating value of gas obtained from biomass gasification: a new method for its calculation or prediction	447–452
Raghunathan, S.	Noise characteristics of turbines for wave power conversion	223–228
Rao , K. V. J.	Optimum stage design of axial-flow gas turbine	433–446
Rose, J. W.	Dropwise condensation theory and experiment : a review	115–128
Rusanov, A.	Shape optimization of two turbine stages using the deformed polyhedron method and a three-dimensional RANS solver	203–213
Saffar-Avval, M.	Two-dimensional mathematical model of a packed bed dryer and experimentation	161–168
Santhaumar, S.	A performance study of a radial turbine for wave energy conversion	15–22
Satofuka, N.	Optimization design of a compressor cascade airfoil using a Navier-Stokes solver and genetic algorithms	195–202
Scaroni, S.	Thermodynamic analysis of the gasification of coal water slurry fuels for a circulating fluidized bed gasifier	343–354
Setoguchi, T.	A performance study of a radial turbine for wave energy conversion	15–22
Setoguchi, T.	Noise characteristics of turbines for wave power conversion	223–228
Shapochka, A.	Shape optimization of two turbine stages using the deformed polyhedron method and a three-dimensional RANS solver	203–213
Sharma, N. Y.	Influence of fuel volatility on combustion and emission characteristics in a gas turbine combustor at different inlet pressures and swirl conditions	257–265
Shu, P.	Thermodynamic analysis of the rotary tooth compressor	321–328
Sinha, B. K.	Trend prediction from steam turbine responses of vibration and eccentricity	97–104
Som, S. K.	Influence of fuel volatility on combustion and emission characteristics in a gas turbine combustor at different inlet pressures and swirl conditions	257–265
Srinivas, J.	Optimum Stage Design of Axial-Flow Gas Turbine	433–446
Swirydczuk, J.	Shape optimization of two turbine stages using the deformed polyhedron method and a three-dimensional RANS solver	203–213
Takao, M.	A performance study of a radial turbine for wave energy conversion	15–22
Takao, M.	Noise characteristics of turbines for wave power conversion	223–228
Tiow, W. T.	Application of simulated annealing to inverse design of transonic turbomachinery cascades	59–73
Tiow, W. T.	Application of a three-dimensional viscous transonic inverse method to NASA rotor 67	243–255
Tourlidakis, A.	Axial compressor performance modelling with a quasi-one-dimensional approach	181–193
Tsui, H.	Thermodynamic analysis of the gasification of coal water slurry fuels for a circulating fluidized bed gasifier	343–354
Wang, Z.	Influence of blade tip clearance shapes on aerodynamic performance of an axial flow compressor stator	395–402
White, N. M.	Axial compressor performance modelling with a quasi-one-dimensional approach	181–193
Xing, Z. Y.	Thermodynamic analysis of the rotary tooth compressor	321–328
Xing, Z.	Analysis of the working process in an oil-flooded screw compressor by means of an indicator diagram	465–470
Yavuzkurt, S.	Thermodynamic analysis of the gasification of coal water slurry fuels for a circulating fluidized bed gasifier	343–354
Yershov, S.	Shape optimization of two turbine stages using the deformed polyhedron method and a three-dimensional RANS solver	203–213
Yiu, K. F. C.	Application of simulated annealing to inverse design of transonic turbomachinery cascades	59–73
Yoon, E. S.	Systematic two-zone modelling for performance prediction of centrifugal compressors	75–87
Zangeneh, M.	Application of simulated annealing to inverse design of transonic turbomachinery cascades	59–73
Zangeneh, M.	Application of a three-dimensional viscous transonic inverse method to NASA rotor 67	243–255

© IMechE 2002